

PHOTOGRAPHING BULLET TRAJECTORY USING LASER IN WELL-LIT OUTDOOR CRIME SCENES

Afin Tomy T^{1*}, Litty Jose^{2**}

¹ Department of forensic science, St. Thomas College (Autonomous) Thrissur, Kerala, India

² HOD, Department of forensic science, St. Thomas College (Autonomous) Thrissur, Kerala, India

Abstract

Forensic photography plays a critical role in crime scene investigations by capturing visual evidence for analysis and courtroom presentation. This study explores the use of laser technology to photograph bullet trajectories in well-lit outdoor crime scenes, addressing the traditional limitation of laser visibility in bright environments. Utilizing a high-powered green laser, a Canon EOS R50 mirrorless camera, neutral density (ND) filters, and long exposure photography, the research successfully captures bullet trajectories under daylight conditions. A moving reflector technique was implemented to enhance laser visibility and ensure accurate representation of the bullet's path. The study analyses various crime scene scenarios, adjusting camera settings and lighting conditions to determine optimal parameters for capturing laser trajectories. Findings indicate that early morning and early evening provide the best conditions for laser trajectory photography, while lower exposures and higher apertures improve image clarity. This study demonstrates that laser trajectory photography is a valuable forensic tool, aiding crime scene reconstruction and serving as compelling visual evidence in legal proceedings. Future research should explore automated reflector systems and advanced imaging techniques to refine the process further.

Keywords: ND Filter; Long Exposure Photography; Laser; Laser alignment

INTRODUCTION

Investigators attempting to recreate the flight paths of fired projectiles or bullets have a number of options, including the utilization of trajectory rods, colored strings, and lasers. Each of these reconstruction tools has their benefits and weaknesses, but lasers have always provided the straightest and sharpest representation of a fired bullet. Lasers have typically been limited to use in out door crime scenes because of less or no visibility of their path in well lit environment. Even when the position of the shooter is not known we can use inclinometer like devices to locate the shooter position, yet the path photography is a matter of question. The project is meant to tackle with this problem by using a high-powered laser and a couple of photographic accessories along with some moving reflectors investigators should be able to photograph laser trajectories at in well lit out door crime scenes. Using lasers, we can track the path of the bullet fired in a crime scene. In this study we photograph this laser path through various photographic techniques and accessories which will provide as a permanent visual record of the bullet's path which helps in crime scene reconstruction, analysis of bullet path, and serve as compelling visual evidence in court.

METHODOLOGY

To capture the laser path in a well-lit outdoor crime scene, we employed a creative setup. First, we determined the shooter and target positions, then aligned a laser on a tripod along the bullet trajectory. A mirrorless camera equipped with an ND filter was positioned behind the laser, set to long exposure mode with a minimal aperture opening (f/22) and ISO below 500. Utilizing a 2 second timer, we moved a reflector - a white board (in order to reflect the laser towards camera) tied to a thin rope from the shooter's position towards the target, as the camera captured the image.

Objectives

- To photograph bullet trajectory using laser in well-lit outdoor crime scenes.
- To find out best camera settings for photographing laser in different well lit outdoor crime scene.

Hypothesis

- Bullet trajectory made by lasers in well lit outdoor crime scenes can be photographed by a camera.
- Lower exposures favor in photographing lasers

RESULT ANALYSIS

The photographs taken are then analyzed and presented with its details and camera settings involved in taking the particular photograph. The details include the time at which the photo was taken, measurement from shooter position to target distance, camera and lens used to take the photo, settings used on the camera to take each photo. All photographs were captured using similar techniques in JPEG format and basic adjustments like color and highlight adjustments have been done using lightroom app.

SAMPLE 1



This photo depicts a shooting crime scene in which the victim was sitting inside the car. This photo was taken at 8 am in the morning using a canon EOS R50 camera with kit lens 18-55mm. The measurement from the shooter to target is 11 meters. The camera shutter was opened for 10 seconds with an aperture of f/22 with 100 ISO. The focal length of the lens used was 27mm. From this photo we also understand that capturing the laser trajectory in the early hours of a day results in better image.

SAMPLE 2



This photo depicts a shooting crime scene from a balcony of a house. This photo was taken at 5PM in the evening using a canon EOS R50 camera with kit lens 18-55mm. The measurement from the shooter to target is 7 meters. The camera shutter was opened for 13 seconds with an aperture of f/22 with 200 ISO. The focal length of the lens used was 18mm. From this image we understand that early evenings are more favourable for laser photography

CONCLUSION

The present study showcases on how to photograph a bullet trajectory using laser in well lit crime scenes using a camera and different accessories. This study is rather like a tutorial on how to photograph a bullet trajectory

using laser in different well-lit crime scenes. In this project we have taken 5 different crime scene photographs and analyzed those to find out the best settings to photograph the laser in different daylight lighting conditions. These photographs serve as a visual documentation of the bullet trajectory and can be used in crime scene reconstruction and as evidence in the court. However further studies and possibilities with different angles and perspectives using modern technologies and accessories are to be done in future projects. The present study can be used as a relevance for upcoming future studies related to this topic.

REFERENCE

- [1] Aphalo, P. J. (2019). Neutral density filters: theory vs. reality. *Uv4 Plants Bulletin*, 2019(1), 51–60. <https://doi.org/10.19232/uv4pb.2019.1.15>
- [2] Bansal, S. K., & Kaur, G. (2022). Utility of 3-dimensional photographs in reconstruction of crime scene. *Journal of Xidian University*, 16(4), 185–190. <https://doi.org/10.37896/jxu16.4/023>
- [3] Bhatia, V., Gregorski, S. J., Pikula, D., Chaparala, S. C., Loeber, D. a. S., Gollier, J., Gregorski, J. D., Hempstead, M., Ozeki, Y., Hata, Y., Shibatani, K., Nagai, F., Mori, N., Nakabayashi, Y., Mitsugi, N., & Nakano, S. (2009). Efficient and compact green laser for micro-projector applications. *Journal of the Society for Information Display*, 17(3), 271–277. <https://doi.org/10.1889/jSID17.3.271>
- [4] Butler, B., Fries, C., Panock, J., Jordan, M. A., & Melinek, J. (2016). Catching a bullet: Gunshot wound trajectory analysis used to establish body position. *Academic Forensic Pathology*, 6(4), 739–745. <https://doi.org/10.23907/2016.070>
- [5] Carew, R. M., & Errickson, D. (2020). An overview of 3D printing in forensic Science: The Tangible Third-Dimension. *Journal of Forensic Sciences*, 65(5), 1752–1760. <https://doi.org/10.1111/1556-4029.14442>
- [6] Causin, V., & Guzzini, G. (2018). CHAPTER 1. Light for crime scene examination. In *Comprehensive series in photochemistry and photobiology/Comprehensive series in photochemical & photobiological sciences* (pp. 1–26) <https://doi.org/10.1039/9781788010344-00001>
- [7] Delbracio, M., Kelly, D., Brown, M. S., & Milanfar, P. (2021). Mobile Computational Photography: a tour. *Annual Review of Vision Science*, 7(1), 571–604 <https://doi.org/10.1146/annurev-vision-093019-115521>
- [8] Duncan, C. D. (2010). Daytime laser photography. *The Chesapeake Examiner*, 48(1), 6–12. https://www.cbdi.ai.org/uploads/1/2/4/0/124025868/daytime_laser_photography.pdf
- [9] Faccio, D., & Velten, A. (2018). A trillion frames per second: the techniques and applications of light-in-flight photography. *Reports on Progress in Physics*, 81(10), 105901. <https://doi.org/10.1088/1361-6633/aacca1>
- [10] Fatima, F. (2019). Forensic photography: A visual and legal record of crime scene. *International Journal for Electronic Crime Investigation*, 3(2), 10. <https://doi.org/10.54692/ijeci.2019.030234>
- [11] Gilmour, P. M. (2019). The application of photography in investigating fraud. *The Imaging Science Journal*, 67(4), 215–223. <https://doi.org/10.1080/13682199.2019.1600254>
- [12] Gouse, S., Karnam, S., Girish, H. C., & Murgod, S. (2018). Forensic photography: Prospect through the lens. *Journal of Forensic Dental Sciences*, 10(1), 2. https://doi.org/10.4103/jfo.jfds_2_16
- [13] Hanna, T. N., Shuaib, W., Han, T., Mehta, A., & Khosa, F. (2015). Firearms, bullets, and wound ballistics: An imaging primer. *Injury*, 46(7), 1186–1196 <https://doi.org/10.1016/j.injury.2015.01.034>
- [14] Hassan, A. T., & Fritsch, D. (2019). Integration of laser scanning and photogrammetry in 3D/4D cultural heritage preservation – A review. *International Journal of Applied Science and Technology*, 9(4), 9–16. <https://doi.org/10.30845/ijast.v9n4p9>
- [15] Laurenzis, M., & Christnacher, F. (2013). Laser gated viewing at ISL for vision through smoke, active polarimetry, and 3D imaging in NIR and SWIR wavelength bands. *Advanced Optical Technologies*, 2(5–6), 397–405. <https://doi.org/10.1515/aot-2013-0040>
- [16] Li, S., Cheng, X., Mei, P., Lu, S., Yang, H., & Zhang, H. (2014). Multiple scattering of light transmission in a smoke layer. *Optik*, 125(9), 2185–2190. <https://doi.org/10.1016/j.ijleo.2013.10.040>
- [17] Mattijssen, E. J. (2020). Interpol review of forensic firearm examination 2016–2019. *Forensic Science International Synergy*, 2, 389–403. <https://doi.org/10.1016/j.fsisyn.2020.01.008>
- [18] Misawa, H., & Juodkazis, S. (1999). Photophysics and photochemistry of a laser manipulated microparticle. *Progress in Polymer Science*, 24(5), 665–697. [https://doi.org/10.1016/S0079-6700\(99\)00009-X](https://doi.org/10.1016/S0079-6700(99)00009-X)
- [19] Ogemdi, I. K. (2019). Properties and Uses of Colloids: A review. *Colloid and Surface Science*, 4(2), 24. <https://doi.org/10.11648/j.css.20190402.12>
- [20] Pierson, C., Cauwerts, C., Bodart, M., & Wienold, J. (2020). Tutorial: Luminance Maps for Daylighting Studies from High Dynamic Range Photography. *LEUKOS the Journal of the Illuminating Engineering Society of North America*, 17(2), 140–169. <https://doi.org/10.1080/15502724.2019.1684319>
- [21] Russ, J. C. (2001). Forensic uses of digital imaging. https://openlibrary.org/books/OL8258799M/Forensic_Uses_of_Digital_Imaging
- [22] Sahu, P., Gupta, N., & Sharma, N. (2014). A survey on underwater image enhancement techniques. *International Journal of Computer Applications*, 87(13), 19–23. <https://doi.org/10.5120/15268-3743>
- [23] Sheppard, K., Fieldhouse, S. J., & Cassella, J. P. (2020). Experiences of evidence presentation in court: an insight into the practice of crime scene examiners in England, Wales and Australia. *Egyptian Journal of*

- Forensic Sciences, 10(1). <https://doi.org/10.1186/s41935-020-00184-5>
- [24] Tung, N. D., Barr, J., Sheppard, D. J., Elliot, D. A., Tottey, L. S., & Walsh, K. a. J. (2015). Spherical photography and virtual tours for presenting crime scenes and forensic evidence in New Zealand courtrooms. *Journal of Forensic Sciences*, 60(3), 753–758. <https://doi.org/10.1111/1556-4029.12736>
- [25] Velten, A., Raskar, R., Wu, D., Jarabo, A., Masia, B., Barsi, C., Joshi, C., Lawson, E., Bawendi, M., & Gutierrez, D. (2013). Femto-photography: capturing and visualizing the propagation of light. *Other Repository*. <https://dspace.mit.edu/handle/1721.1/82039>
- [26] Villa, C., Lynnerup, N., & Jacobsen, C. (2023). A virtual, 3D multimodal approach to victim and crime scene reconstruction. *Diagnostics*, 13(17), 2764. <https://doi.org/10.3390/diagnostics13172764>
- [27] Wright, F. D., & Golden, G. S. (2010). The use of full spectrum digital photography for evidence collection and preservation in cases involving forensic odontology. *Forensic Science International*, 201(1–3), 59–67. <https://doi.org/10.1016/j.forsciint.2010.03.013>
- [28] Yao, Y., Liu, X., Qi, D., Yao, J., Jin, C., He, Y., Huang, Z., He, Y., Shen, Y., Deng, L., Wang, Z., Sun, Z., Liang, J., & Zhang, S. (2024). Capturing Transient Events in Series: A review of Framing photography. *Laser & Photonics Review*. <https://doi.org/10.1002/lpor.202400219>
- [29] Zhang, M. (2022). Forensic imaging: a powerful tool in modern forensic investigation. *Forensic Sciences Research*, 7(3), 385–392. <https://doi.org/10.1080/20961790.2021.2008705>
- [30] Ziernicki, R. M. (2001). Forensic engineering techniques to reconstruct shooting incidents. *Journal of the National Academy of Forensic Engineers*, 18(1) <https://doi.org/10.51501/jotnafe.v18i1.586>